


1/37



2/37

FIG. 2




FIG. 3




FIG. 4
70




FIG. 5
PRIOR ART






FIG. 6A



6/37


FIG. 6B



7.00 μm = 35 steps


7/37

FIG. 7




8/37

FIG. 8
110




9/37

FIG. 9



10/37

FIG. 10



12/37

FIG. 12A

Cu (001) $\langle 110 \rangle$






FIG. 12B

Cu (001) $\langle 100 \rangle$




13/37

FIG. 13A




14/37

FIG. 13B




15/37

FIG. 14




16/37

FIG. 15




17/37

FIG. 16A




18/37

FIG. 16B




19/37

FIG. 17




20/37

FIG. 18



21/37

FIG. 19A



Mag	01/22/01	pA	Tilt	
6.50 kX	17:26:56	380	-0.0"	

#3


20 μ m

150

152


22/37

FIG. 19B



23/37


FIG. 20



4.50 μm = 45 steps IPF Map [001]

24/37

FIG. 21



25/37

FIG. 22






FIG. 23
170



27/37

FIG. 24



28/37

FIG. 25
250





FIG. 26
252



29/37

FIG. 27




FIG. 28

258






FIG. 29



31/37


FIG. 30



BIOCRYSTAL MOLD SCHEMATIC

32/37

FIG. 31



33/37

FIG. 32B




FIG. 32A




FIG. 33B





FIG. 33A




35/37

FIG. 34



36/37

FIG. 35



37/37

FIG. 36A




FIG. 36B

